

# Model

## *Trio / Trio-Sport Bassinet*

### Features:

- Newborn bassinet to fit the Trio/Trio-Sport stroller (model # 013700).
- Easy-to-assemble with detachable European style hood and bassinet cover.
- Comes with mattress and holding strap to hold baby securely.
- Carry handles so bassinet can be carried as a carrycot.
- Tested and complies with the Australian Standard AS/NZS 2088:2000.

**Additional products and accessories are available from leading department stores and nursery speciality shops include:-**

Change Tables, Highchairs, Hook on Highchairs, Safety Gates, Bed Guards, Rockers, Parasoles, Pramettes, Strollers, Walkers, Nappy Bags, Rain Covers, Wooden Cots and Manchester.

### Warranty

The manufacturer warrants this product to be free from defects in material and workmanship under normal use and service following the date of purchase for 12 months. This warranty shall not apply to damages arising from neglect, accidental damage to, or misuse of the product.

**Due to our continuing programme of development, Childcare reserves the right to alter the specifications, colour or design without further notice.**

**Due to variations in the style and design of our products the illustrations used in this instruction manual are generic.**

**This product is not intended for commercial use.**



Childcare Nursery Products Pty Ltd  
20-22 Lindaway Place Tullamarine Vic 3043  
Phone: 03 9335 2244 Fax: 03 9335 2270  
email: sales@childcare-prod.com.au

[www.childcare-prod.com.au](http://www.childcare-prod.com.au)

# *Trio / Trio-Sport Bassinet*

## *013701*

Line Drawings to be  
inserted by Factory

Instruction Booklet



**Keep this booklet in a safe place for future reference**  
**Note: Colour and features of product may differ from the diagrams shown**  
[www.childcare-prod.com.au](http://www.childcare-prod.com.au)

### **WARNING**

- FOLLOW THE MANUFACTURER'S INSTRUCTIONS.
- USE THE SAFETY HARNESS AT ALL TIMES.
- PUT ON ALL THE BRAKES WHEN EVER YOU PARK THE STROLLER.
- DO NOT LEAVE CHILDREN UNATTENDED.
- DISCONTINUE USE OF THE CARRY COT ONCE THE BABY CAN SIT UP UNAIDED.
- REMOVE THE CARRY COT FROM THE STROLLER BEFORE FOLDING THE STROLLER.
- THIS CARRY COT IS FOR USE WITH THE 'CHILDCARE' STROLLER MODEL #013700 ONLY.
- DO NOT CARRY EXTRA CHILDREN OR BAGS ON THIS STROLLER.
- MAKE SURE CHILDREN ARE CLEAR OF ANY MOVING PARTS IF YOU ADJUST THE STROLLER OTHERWISE THEY MAY BE INJURED.

### **Some Do's and Don'ts**

- Ensure your child is secured with the bassinet holding strap.
- Do not allow children to stand up in the bassinet.
- The bassinet should not be used once the child can sit up unaided (approximately six months).
- Do not use accessories other than those supplied and approved by Childcare Nursery Products.
- Promptly replace worn out or broken parts.
- Remove the child from the bassinet before going up or down stairs and escalators.
- To prevent the risk of the bassinet catching fire, do not keep it near an open fire or a heater.
- Retain your warranty card and keep your sales receipt to provide proof of purchase.

### **How to Care for your Childcare Product**

#### **Care and Maintenance**

To prolong the life of your nursery product, keep it clean and do not leave in direct sunlight for extended periods of time.

Removable fabric covers and trims may be cleaned using warm water and a household soap or mild detergent. Allow it to dry fully, preferably away from the direct sunlight.

#### **Helpful Hints**

If the wheels squeak –use a silicon-based spray ensuring it penetrates the wheel and axle assembly.

When using the stroller at the beach – completely clean your stroller afterwards to remove the sand and salt from the mechanisms and wheel assemblies. Dry thoroughly and lubricate with a silicon-based spray.

#### **Do Not Dry Clean or Bleach Your Fabrics.**

Do not machine wash, tumble or spin dry your fabrics, unless the care labelling on the product permits these methods.

Non-removable fabrics covers and trims may be cleaned using a damp sponge with soap or mild detergent. Allow it to dry completely before folding or storing it away.

In some climates, the covers and trims may be affected by mould and mildew. To help prevent this occurring, do not fold or store the product if it is damp or wet. Always store the product in a well-ventilated area.

Always check parts regularly for tightness of screws, nuts and other fasteners – tighten or replace if required. To maintain the safety of your nursery product, seek prompt repairs for bent, torn, worn or broken parts. Use only those parts and accessories approved by Childcare Nursery Products.

This product is not intended for commercial use.

## To Attach Seat back onto Chassis

- Place seat on chassis and attach to frame using press-studs.
- Secure buckles under seat, ensuring straps go around each side of the chassis.
- Gently lift seat to ensure it is properly secured onto the chassis.
- Attach the waist strap back to the rear leg by sliding the webbing through the opening of the O-ring.

**Warning:** Before placing your child into the stroller, check and ensure that all the seat press studs are properly attached, especially the waist harness and buckle which is to be attached onto the rear legs.



## Folding the Stroller

- Engage brake and disengage swivel lock.
- Close the hood.
- Pull up the two release catches located either side of the handle which will release the elbow joints for smooth folding.
- Gently press down on the foot paddle at the rear of the basket and gently push the handle forward.
- Rotate the front wheel to the side for a compact fold.
- Apply the folding strap into the appropriate pin as a folding lock.



**Note:** All wheels are equipped with quick-release mechanism and they can be quickly released if compact storage is required.

**Warning:** The brake must be engaged when folding the stroller.

## IMPORTANT

This newborn bassinet is specifically designed to be used **ONLY** with the Childcare Trio-Sport stroller. It should **NOT** be used with any other product.

## Bassinet Assembly

- Lift up bassinet frame and slide both metal support brackets into the slots in baseboard. Pull brackets using velcro tabs as shown.



- Place bassinet liner into bassinet, ensuring holes for hood are lined up for hood attachment.
- Thread each end of the holding strap through bassinet liner also.



- Place bassinet mattress inside bassinet. Ensure holding straps come over mattress.



- Attach bassinet hood by pushing plastic leg of the hood into plastic holders on the bassinet. Make sure they snap securely into place.



### To Attach the Bassinet Cover

- Place cover on bassinet and secure with press-studs near the hood attachment.



### To Carry the Bassinet

- The carry straps for the bassinet are located in the side pockets of the bassinet.
- Always use the carry straps to carry the bassinet-never by the hood.



### To Remove Seat from Chassis

- Remove bumper and hood.
- Undo all the press-studs around the wheel and handle of the frame.
- Undo buckles under seat.
- Undo the waist harness from the rear leg by sliding the webbing through the opening of the O-ring.
- Remove seat from chassis.



Opening of O-ring

- Place bassinet onto chassis, guiding latch on bassinet onto chassis frame. Once in position, press bassinet down onto frame so catch mechanism locks into position.



- Place the bassinet support clamp onto the stroller frame and close the locking clip.



- Gently lift bassinet up to ensure it is properly secured onto the chassis.



**Warning:** Always check before use that the bassinet is securely attached onto the chassis frame.

### To Remove Bassinet from Chassis

- Whilst holding the carry straps lift the catch mechanism on base of bassinet.
- Unclip the support clamp from the stroller frame.

